
waitress Documentation

Release 2.0.0

Pylons Project Developers

September 09, 2021

Contents

1	Extended Documentation	3
2	Change History	21
3	Next Release	23
4	2.0.0 (2021-03-07)	25
5	1.4.4 (2020-06-01)	27
6	1.4.3 (2020-02-02)	29
7	1.4.2 (2020-01-02)	31
8	1.4.1 (2019-12-24)	33
9	1.4.0 (2019-12-20)	35
10	1.3.1 (2019-08-27)	37
11	1.3.0 (2019-04-22)	39
12	1.2.1 (2019-01-25)	41
13	1.2.0 (2019-01-15)	43
14	1.2.0b3 (2019-01-07)	45
15	1.2.0b2 (2019-02-02)	47
16	1.2.0b1 (2018-12-31)	49
17	1.1.0 (2017-10-10)	51
18	1.0.2 (2017-02-04)	53
19	1.0.1 (2016-10-22)	55
20	1.0.0 (2016-08-31)	57

21	0.9.0 (2016-04-15)	59
22	0.8.10 (2015-09-02)	61
23	0.8.9 (2014-05-16)	63
24	0.8.8 (2013-11-30)	65
25	0.8.7 (2013-08-29)	67
26	0.8.6 (2013-08-12)	69
27	0.8.5 (2013-05-27)	71
28	0.8.4 (2013-05-24)	73
29	0.8.3 (2013-04-28)	75
30	0.8.2 (2012-11-14)	77
31	0.8.1 (2012-02-13)	79
32	0.8 (2012-01-31)	81
33	0.7 (2012-01-11)	83
34	0.6.1 (2012-01-08)	85
35	0.6 (2012-01-07)	87
36	0.5 (2012-01-03)	89
37	0.4 (2012-01-02)	91
38	0.3 (2012-01-02)	93
39	0.2 (2011-12-31)	95
40	0.1 (2011-12-30)	97
41	Known Issues	99
42	Support and Development	101
43	Why?	103
	Python Module Index	105
	Index	107

Waitress is meant to be a production-quality pure-Python WSGI server with very acceptable performance. It has no dependencies except ones which live in the Python standard library. It runs on CPython on Unix and Windows under Python 3.6+. It is also known to run on PyPy 7.3.2 (PyPy3) on UNIX. It supports HTTP/1.0 and HTTP/1.1.

1.1 Usage

The following code will run waitress on port 8080 on all available IP addresses, both IPv4 and IPv6.

```
from waitress import serve
serve(wsgiapp, listen='*:8080')
```

Press Ctrl-C (or Ctrl-Break on Windows) to exit the server.

The following will run waitress on port 8080 on all available IPv4 addresses, but not IPv6.

```
from waitress import serve
serve(wsgiapp, host='0.0.0.0', port=8080)
```

By default Waitress binds to any IPv4 address on port 8080. You can omit the `host` and `port` arguments and just call `serve` with the WSGI app as a single argument:

```
from waitress import serve
serve(wsgiapp)
```

If you want to serve your application through a UNIX domain socket (to serve a downstream HTTP server/proxy such as nginx, lighttpd, and so on), call `serve` with the `unix_socket` argument:

```
from waitress import serve
serve(wsgiapp, unix_socket='/path/to/unix.sock')
```

Needless to say, this configuration won't work on Windows.

Exceptions generated by your application will be shown on the console by default. See [Access Logging](#) to change this.

There's an entry point for *PasteDeploy* (`egg:waitress#main`) that lets you use Waitress's WSGI gateway from a configuration file, e.g.:

```
[server:main]
use = egg:waitress#main
listen = 127.0.0.1:8080
```

Using `host` and `port` is also supported:

```
[server:main]
host = 127.0.0.1
port = 8080
```

The *PasteDeploy* syntax for UNIX domain sockets is analagous:

```
[server:main]
use = egg:waitress#main
unix_socket = /path/to/unix.sock
```

You can find more settings to tweak (arguments to `waitress.serve` or equivalent settings in *PasteDeploy*) in *Arguments to waitress.serve*.

Additionally, there is a command line runner called `waitress-serve`, which can be used in development and in situations where the likes of *PasteDeploy* is not necessary:

```
# Listen on both IPv4 and IPv6 on port 8041
waitress-serve --listen=*:8041 myapp:wsgifunc

# Listen on only IPv4 on port 8041
waitress-serve --port=8041 myapp:wsgifunc
```

1.1.1 Heroku

Waitress can be used to serve WSGI apps on Heroku, include `waitress` in your `requirements.txt` file a update the `Procfile` as following:

```
web: waitress-serve \
  --listen "*: $PORT" \
  --trusted-proxy '*' \
  --trusted-proxy-headers 'x-forwarded-for x-forwarded-proto x-forwarded-port' \
  --log-untrusted-proxy-headers \
  --clear-untrusted-proxy-headers \
  --threads ${WEB_CONCURRENCY:-4} \
  myapp:wsgifunc
```

The proxy config informs Waitress to trust the `forwarding headers` set by the Heroku load balancer. It also allows for setting the standard `WEB_CONCURRENCY` environment variable to tweak the number of requests handled by Waitress at a time.

Note that Waitress uses a thread-based model and careful effort should be taken to ensure that requests do not take longer than 30 seconds or Heroku will inform the client that the request failed even though the request is still being processed by Waitress and occupying a thread until it completes.

For more information on this, see *waitress-serve*.

1.2 Access Logging

The WSGI design is modular. Waitress logs error conditions, debugging output, etc., but not web traffic. For web traffic logging, Paste provides *TransLogger middleware*. TransLogger produces logs in the *Apache Combined Log Format*.

1.2.1 Logging to the Console Using Python

`waitress.serve` calls `logging.basicConfig()` to set up logging to the console when the server starts up. Assuming no other logging configuration has already been done, this sets the logging default level to `logging.WARNING`. The Waitress logger will inherit the root logger's level information (it logs at level `WARNING` or above).

Waitress sends its logging output (including application exception renderings) to the Python logger object named `waitress`. You can influence the logger level and output stream using the normal Python logging module API. For example:

```
import logging
logger = logging.getLogger('waitress')
logger.setLevel(logging.INFO)
```

Within a PasteDeploy configuration file, you can use the normal Python logging module `.ini` file format to change similar Waitress logging options. For example:

```
[logger_waitress]
level = INFO
```

1.2.2 Logging to the Console Using PasteDeploy

TransLogger will automatically setup a logging handler to the console when called with no arguments. It "just works" in environments that don't configure logging. This is by virtue of its default configuration setting of `setup_console_handler = True`.

1.2.3 Logging to a File Using PasteDeploy

TransLogger does not write to files, and the Python logging system must be configured to do this. The Python class `FileHandler` logging handler can be used alongside TransLogger to create an `access.log` file similar to Apache's.

Like any standard *middleware* with a Paste entry point, TransLogger can be configured to wrap your application using `.ini` file syntax. First add a `[filter:translogger]` section, then use a `[pipeline:main]` section file to form a WSGI pipeline with both the translogger and your application in it. For instance, if you have this:

```
[app:wsgiapp]
use = egg:mypackage#wsgiapp

[server:main]
use = egg:waitress#main
host = 127.0.0.1
port = 8080
```

Add this:

```
[filter:translogger]
use = egg:Paste#translogger
setup_console_handler = False

[pipeline:main]
pipeline = translogger
         wsgiapp
```

Using PasteDeploy this way to form and serve a pipeline is equivalent to wrapping your app in a TransLogger instance via the bottom of the main function of your project's `__init__` file:

```
from mypackage import wsgiapp
from waitress import serve
from paste.translogger import TransLogger
serve(TransLogger(wsgiapp, setup_console_handler=False))
```

Note: TransLogger will automatically set up a logging handler to the console when called with no arguments, so it "just works" in environments that don't configure logging. Since our logging handlers are configured, we disable the automation via `setup_console_handler = False`.

With the filter in place, TransLogger's logger (named the `wsgi` logger) will propagate its log messages to the parent logger (the root logger), sending its output to the console when we request a page:

```
00:50:53,694 INFO [wsgiapp] Returning: Hello World!
                (content-type: text/plain)
00:50:53,695 INFO [wsgi] 192.168.1.111 - - [11/Aug/2011:20:09:33 -0700] "GET /hello
HTTP/1.1" 404 - "-"
"Mozilla/5.0 (Macintosh; U; Intel Mac OS X; en-US; rv:1.8.1.6) Gecko/20070725
Firefox/2.0.0.6"
```

To direct TransLogger to an `access.log` FileHandler, we need the following to add a FileHandler (named `accesslog`) to the list of handlers, and ensure that the `wsgi` logger is configured and uses this handler accordingly:

```
# Begin logging configuration

[loggers]
keys = root, wsgiapp, wsgi

[handlers]
keys = console, accesslog

[logger_wsgi]
level = INFO
handlers = accesslog
qualname = wsgi
propagate = 0

[handler_accesslog]
class = FileHandler
args = ('%(here)s/access.log', 'a')
level = INFO
formatter = generic
```

As mentioned above, non-root loggers by default propagate their log records to the root logger's handlers (currently the console handler). Setting `propagate` to `0` (`False`) here disables this; so the `wsgi` logger directs its records

only to the `accesslog` handler.

Finally, there's no need to use the `generic` formatter with `TransLogger`, as `TransLogger` itself provides all the information we need. We'll use a formatter that passes-through the log messages as is. Add a new formatter called `accesslog` by including the following in your configuration file:

```
[formatters]
keys = generic, accesslog

[formatter_accesslog]
format = %(message)s
```

Finally alter the existing configuration to wire this new `accesslog` formatter into the `FileHandler`:

```
[handler_accesslog]
class = FileHandler
args = ('%(here)s/access.log', 'a')
level = INFO
formatter = accesslog
```

1.3 Using Behind a Reverse Proxy

Often people will set up "pure Python" web servers behind reverse proxies, especially if they need TLS support (Waitress does not natively support TLS). Even if you don't need TLS support, it's not uncommon to see Waitress and other pure-Python web servers set up to only handle requests behind a reverse proxy; these proxies often have lots of useful deployment knobs.

If you're using Waitress behind a reverse proxy, you'll almost always want your reverse proxy to pass along the `Host` header sent by the client to Waitress, in either case, as it will be used by most applications to generate correct URLs. You may also use the proxy headers if passing `Host` directly is not possible, or there are multiple proxies involved.

For example, when using `nginx` as a reverse proxy, you might add the following lines in a `location` section.

```
proxy_set_header    Host $host;
```

The Apache directive named `ProxyPreserveHost` does something similar when used as a reverse proxy.

Unfortunately, even if you pass the `Host` header, the `Host` header does not contain enough information to regenerate the original URL sent by the client. For example, if your reverse proxy accepts HTTPS requests (and therefore URLs which start with `https://`), the URLs generated by your application when used behind a reverse proxy served by Waitress might inappropriately be `http://foo` rather than `https://foo`. To fix this, you'll want to change the `wsgi.url_scheme` in the WSGI environment before it reaches your application. You can do this in one of three ways:

1. You can pass a `url_scheme` configuration variable to the `waitress.serve` function.
2. You can pass certain well known proxy headers from your proxy server and use waitress's `trusted_proxy` support to automatically configure the WSGI environment.

1.3.1 Using `url_scheme` to set `wsgi.url_scheme`

You can have the Waitress server use the `https` url scheme by default:

```
from waitress import serve
serve(wsgiapp, listen='0.0.0.0:8080', url_scheme='https')
```

This works if all URLs generated by your application should use the `https` scheme.

1.3.2 Passing the proxy headers to setup the WSGI environment

If your proxy accepts both HTTP and HTTPS URLs, and you want your application to generate the appropriate url based on the incoming scheme, you'll want to pass waitress `X-Forwarded-Proto`, however Waitress is also able to update the environment using `X-Forwarded-Proto`, `X-Forwarded-For`, `X-Forwarded-Host`, and `X-Forwarded-Port`:

```
proxy_set_header X-Forwarded-Proto $scheme;
proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
proxy_set_header X-Forwarded-Host $host:$server_port;
proxy_set_header X-Forwarded-Port $server_port;
```

when using Apache, `mod_proxy` automatically forwards the following headers:

```
X-Forwarded-For
X-Forwarded-Host
X-Forwarded-Server
```

You will also want to add to Apache:

```
RequestHeader set X-Forwarded-Proto https
```

Configure waitress's `trusted_proxy_headers` as appropriate:

```
trusted_proxy_headers = "x-forwarded-for x-forwarded-host x-forwarded-proto x-
↳ forwarded-port"
```

At this point waitress will set up the WSGI environment using the information specified in the trusted proxy headers. This will setup the following variables:

```
HTTP_HOST
SERVER_NAME
SERVER_PORT
REMOTE_ADDR
REMOTE_PORT (if available)
wsgi.url_scheme
```

Waitress also has support for the [Forwarded \(RFC7239\) HTTP header](#) which is better defined than the ad-hoc `X-Forwarded-*`, however support is not nearly as widespread yet. `Forwarded` supports similar functionality as the different individual headers, and is mutually exclusive to using the `X-Forwarded-*` headers.

To configure waitress to use the `Forwarded` header, set:

```
trusted_proxy_headers = "forwarded"
```

Note: You must also configure the Waitress server's `trusted_proxy` to contain the IP address of the proxy.

1.3.3 Using `url_prefix` to influence `SCRIPT_NAME` and `PATH_INFO`

You can have the Waitress server use a particular url prefix by default for all URLs generated by downstream applications that take `SCRIPT_NAME` into account.:

```
from waitress import serve
serve(wsgiapp, listen='0.0.0.0:8080', url_prefix='/foo')
```

Setting this to any value except the empty string will cause the WSGI `SCRIPT_NAME` value to be that value, minus any trailing slashes you add, and it will cause the `PATH_INFO` of any request which is prefixed with this value to be stripped of the prefix. This is useful in proxying scenarios where you wish to forward all traffic to a Waitress server but need URLs generated by downstream applications to be prefixed with a particular path segment.

1.4 Design

Waitress uses a combination of asynchronous and synchronous code to do its job. It handles I/O to and from clients using the *wasyncore*, which is *asyncore* vendored into Waitress. It services requests via threads.

Note: *asyncore* has been deprecated since Python 3.6. Work continues on its inevitable removal from the Python standard library. Its recommended replacement is *asyncio*.

Although *asyncore* has been vendored into Waitress as *wasyncore*, you may see references to "asyncore" in this documentation's code examples and API. The terms are effectively the same and may be used interchangeably.

The *wasyncore* module:

- Uses the `select.select` function to wait for connections from clients and determine if a connected client is ready to receive output.
- Creates a channel whenever a new connection is made to the server.
- Executes methods of a channel whenever it believes data can be read from or written to the channel.

A "channel" is created for each connection from a client to the server. The channel handles all requests over the same connection from that client. A channel will handle some number of requests during its lifetime: zero to how ever many HTTP requests are sent to the server by the client over a single connection. For example, an HTTP/1.1 client may issue a theoretically infinite number of requests over the same connection; each of these will be handled by the same channel. An HTTP/1.0 client without a "Connection: keep-alive" header will request usually only one over a single TCP connection, however, and when the request has completed, the client disconnects and reconnects (which will create another channel). When the connection related to a channel is closed, the channel is destroyed and garbage collected.

When a channel determines the client has sent at least one full valid HTTP request, it schedules a "task" with a "thread dispatcher". The thread dispatcher maintains a fixed pool of worker threads available to do client work (by default, 4 threads). If a worker thread is available when a task is scheduled, the worker thread runs the task. The task has access to the channel, and can write back to the channel's output buffer. When all worker threads are in use, scheduled tasks will wait in a queue for a worker thread to become available.

I/O is always done asynchronously (by *wasyncore*) in the main thread. Worker threads never do any I/O. This means that

1. a large number of clients can be connected to the server at once, and
2. worker threads will never be hung up trying to send data to a slow client.

No attempt is made to kill a "hung thread". It's assumed that when a task (application logic) starts that it will eventually complete. If for some reason WSGI application logic never completes and spins forever, the worker thread related to that WSGI application will be consumed "forever", and if enough worker threads are consumed like this, the server will stop responding entirely.

Periodic maintenance is done by the main thread (the thread handling I/O). If a channel hasn't sent or received any data in a while, the channel's connection is closed, and the channel is destroyed.

1.5 Differences from `zope.server`

- Has no non-stdlib dependencies.
- No support for non-WSGI servers (no FTP, plain-HTTP, etc); refactorings and slight interface changes as a result. Non-WSGI-supporting code removed.
- Slight cleanup in the way application response headers are handled (no more "accumulated headers").
- Supports the HTTP 1.1 "expect/continue" mechanism (required by WSGI spec).
- Calls "close()" on the `app_iter` object returned by the WSGI application.
- Allows trusted proxies to override `wsgi.url_scheme` for particular requests by supplying the `X_FORWARDED_PROTO` header.
- Supports an explicit `wsgi.url_scheme` parameter for ease of deployment behind SSL proxies.
- Different adjustment defaults (less conservative).
- Python 3 compatible.
- More test coverage (unit tests added, functional tests refactored and more added).
- Supports convenience `waitress.serve` function (e.g. `from waitress import serve; serve(app)`) and convenience `server.run()` function.
- Returns a "real" write method from `start_response`.
- Provides a `getsockname` method of the server FBO figuring out which port the server is listening on when it's bound to port 0.
- Warns when `app_iter` bytestream numbytes less than or greater than specified Content-Length.
- Set content-length header if `len(app_iter) == 1` and none provided.
- Raise an exception if `start_response` isn't called before any body write.
- `channel.write` does not accept non-byte-sequences.
- Put maintenance check on server rather than channel to avoid a class of DOS.
- `wsgi.multiprocess` set (correctly) to `False`.
- Ensures header total can not exceed a maximum size.
- Ensures body total can not exceed a maximum size.
- Broken chunked encoding request bodies don't crash the server.
- Handles keepalive/pipelining properly (no out of order responses, no premature channel closes).
- Send a 500 error to the client when a task raises an uncaught exception (with optional traceback rendering via "expose_traceback" adjustment).
- Supports HTTP/1.1 chunked responses when application doesn't set a Content-Length header.
- Don't hang a thread up trying to send data to slow clients.
- Supports `wsgi.file_wrapper` protocol.

1.6 waitress API

serve (*app*, *listen*='0.0.0.0:8080', *unix_socket*=None, *unix_socket_perms*='600', *threads*=4, *url_scheme*='http', *url_prefix*="", *ident*='waitress', *backlog*=1024, *recv_bytes*=8192, *send_bytes*=1, *outbuf_overflow*=104856, *outbuf_high_watermark*=16777216, *inbuf_overflow*=52488, *connection_limit*=1000, *cleanup_interval*=30, *channel_timeout*=120, *log_socket_errors*=True, *max_request_header_size*=262144, *max_request_body_size*=1073741824, *expose_tracebacks*=False)

See *Arguments to waitress.serve* for more information.

1.7 Arguments to waitress.serve

Here are the arguments you can pass to the `waitress.serve` function or use in *PasteDeploy* configuration (interchangeably):

host Hostname or IP address (string) on which to listen, default `0.0.0.0`, which means "all IP addresses on this host".

Warning: May not be used with `listen`

port TCP port (integer) on which to listen, default `8080`

Warning: May not be used with `listen`

listen Tell waitress to listen on combinations of `host:port` arguments. Combinations should be a quoted, space-delimited list, as in the following examples.

```
listen="127.0.0.1:8080 [::1]:8080"
listen="*:8080 *:6543"
```

A wildcard for the hostname is also supported and will bind to both IPv4/IPv6 depending on whether they are enabled or disabled.

IPv6 IP addresses are supported by surrounding the IP address with brackets.

New in version 1.0.

server_name This is the value that will be placed in the WSGI environment as `SERVER_NAME`, the only time that this value is used in the WSGI environment for a request is if the client sent a HTTP/1.0 request without a `Host` header set, and no other proxy headers.

The default is value is `waitress.invalid`, if your WSGI application is creating URL's that include this as the hostname and you are using a reverse proxy setup, you may want to validate that your reverse proxy is sending the appropriate headers.

In most situations you will not need to set this value.

Default: `waitress.invalid`

New in version 2.0.

ipv4 Enable or disable IPv4 (boolean)

ipv6 Enable or disable IPv6 (boolean)

unix_socket Path of Unix socket (string). If a socket path is specified, a Unix domain socket is made instead of the usual inet domain socket.

Not available on Windows.

Default: None

unix_socket_perms Octal permissions to use for the Unix domain socket (string). Only used if `unix_socket` is not None.

Default: '600'

sockets A list of sockets. The sockets can be either Internet or UNIX sockets and have to be bound. Internet and UNIX sockets cannot be mixed. If the socket list is not empty, waitress creates one server for each socket.

Default: []

New in version 1.1.1.

Warning: May not be used with `listen`, `host`, `port` or `unix_socket`

threads The number of threads used to process application logic (integer).

Default: 4

trusted_proxy IP address of a remote peer allowed to override various WSGI environment variables using proxy headers.

For unix sockets, set this value to `localhost` instead of an IP address.

Default: None

trusted_proxy_count How many proxies we trust when chained. For example,

```
X-Forwarded-For: 192.0.2.1, "[2001:db8::1]"
```

or

```
Forwarded: for=192.0.2.1, For="[2001:db8::1]"
```

means there were (potentially), two proxies involved. If we know there is only 1 valid proxy, then that initial IP address "192.0.2.1" is not trusted and we completely ignore it.

If there are two trusted proxies in the path, this value should be set to 2. If there are more proxies, this value should be set higher.

Default: 1

New in version 1.2.0.

trusted_proxy_headers Which of the proxy headers should we trust, this is a set where you either specify "forwarded" or one or more of "x-forwarded-host", "x-forwarded-for", "x-forwarded-proto", "x-forwarded-port", "x-forwarded-by".

This list of trusted headers is used when `trusted_proxy` is set and will allow waitress to modify the WSGI environment using the values provided by the proxy.

New in version 1.2.0.

Warning: If `trusted_proxy` is set, the default is `x-forwarded-proto` to match older versions of Waitress. Users should explicitly opt-in by selecting the headers to be trusted as future versions of waitress will use an empty default.

Warning: It is an error to set this value without setting `trusted_proxy`.

log_untrusted_proxy_headers Should waitress log warning messages about proxy headers that are being sent from upstream that are not trusted by `trusted_proxy_headers` but are being cleared due to `clear_untrusted_proxy_headers`?

This may be useful for debugging if you expect your upstream proxy server to only send specific headers.

Default: `False`

New in version 1.2.0.

Warning: It is a no-op to set this value without also setting `clear_untrusted_proxy_headers` and `trusted_proxy`

clear_untrusted_proxy_headers This tells Waitress to remove any untrusted proxy headers ("Forwarded", "X-Forwarded-For", "X-Forwarded-By", "X-Forwarded-Host", "X-Forwarded-Port", "X-Forwarded-Proto") not explicitly allowed by `trusted_proxy_headers`.

Default: `False`

New in version 1.2.0.

Warning: The default value is set to `False` for backwards compatibility. In future versions of Waitress this default will be changed to `True`. Warnings will be raised unless the user explicitly provides a value for this option, allowing the user to opt-in to the new safety features automatically.

Warning: It is an error to set this value without setting `trusted_proxy`.

url_scheme The value of `wsgi.url_scheme` in the environ. This can be overridden per-request by the value of the `X_FORWARDED_PROTO` header, but only if the client address matches `trusted_proxy`.

Default: `http`

ident Server identity (string) used in "Server:" header in responses.

Default: `waitress`

backlog The value waitress passes to `socket.listen()` (integer). This is the maximum number of incoming TCP connections that will wait in an OS queue for an available channel. From `listen(1)`: "If a connection request arrives when the queue is full, the client may receive an error with an indication of `ECONNREFUSED` or, if the underlying protocol supports retransmission, the request may be ignored so that a later reattempt at connection succeeds."

Default: `1024`

recv_bytes The argument waitress passes to `socket.recv()` (integer).

Default: `8192`

send_bytes The number of bytes to send to `socket.send()` (integer). Multiples of 9000 should avoid partly-filled TCP packets, but don't set this larger than the TCP write buffer size. In Linux, `/proc/sys/net/ipv4/tcp_wmem` controls the minimum, default, and maximum sizes of TCP write buffers.

Default: `1`

Deprecated since version 1.3.

outbuf_overflow A tempfile should be created if the pending output is larger than `outbuf_overflow`, which is measured in bytes. The default is conservative.

Default: 1048576 (1MB)

outbuf_high_watermark The `app_iter` will pause when pending output is larger than this value and will resume once enough data is written to the socket to fall below this threshold.

Default: 16777216 (16MB)

inbuf_overflow A tempfile should be created if the pending input is larger than `inbuf_overflow`, which is measured in bytes. The default is conservative.

Default: 524288 (512K)

connection_limit Stop creating new channels if too many are already active (integer). Each channel consumes at least one file descriptor, and, depending on the input and output body sizes, potentially up to three, plus whatever file descriptors your application logic happens to open. The default is conservative, but you may need to increase the number of file descriptors available to the Waitress process on most platforms in order to safely change it (see `ulimit -a "open files"` setting). Note that this doesn't control the maximum number of TCP connections that can be waiting for processing; the `backlog` argument controls that.

Default: 100

cleanup_interval Minimum seconds between cleaning up inactive channels (integer). See also `channel_timeout`.

Default: 30

channel_timeout Maximum seconds to leave an inactive connection open (integer). "Inactive" is defined as "has received no data from a client and has sent no data to a client".

Default: 120

log_socket_errors Set to `False` to not log premature client disconnect tracebacks.

Default: `True`

max_request_header_size Maximum number of bytes of all request headers combined (integer).

Default: 262144 (256K)

max_request_body_size Maximum number of bytes in request body (integer).

Default: 1073741824 (1GB)

expose_tracebacks Set to `True` to expose tracebacks of unhandled exceptions to client.

Default: `False`

asyncore_loop_timeout The `timeout` value (seconds) passed to `asyncore.loop` to run the mainloop.

Default: 1

New in version 0.8.3.

asyncore_use_poll Set to `True` to switch from using `select()` to `poll()` in `asyncore.loop`. By default `asyncore.loop()` uses `select()` which has a limit of 1024 file descriptors. `select()` and `poll()` provide basically the same functionality, but `poll()` doesn't have the file descriptors limit.

Default: `False`

New in version 0.8.6.

url_prefix String: the value used as the WSGI SCRIPT_NAME value. Setting this to anything except the empty string will cause the WSGI SCRIPT_NAME value to be the value passed minus any trailing slashes you add, and it will cause the PATH_INFO of any request which is prefixed with this value to be stripped of the prefix.

Default: ''

1.8 Support for wsgi.file_wrapper

Waitress supports the Python Web Server Gateway Interface v1.0 as specified in [PEP 3333](#). Here's a usage example:

```
import os

here = os.path.dirname(os.path.abspath(__file__))

def myapp(environ, start_response):
    f = open(os.path.join(here, 'myphoto.jpg'), 'rb')
    headers = [('Content-Type', 'image/jpeg')]
    start_response(
        '200 OK',
        headers
    )
    return environ['wsgi.file_wrapper'](f, 32768)
```

The file wrapper constructor is accessed via `environ['wsgi.file_wrapper']`. The signature of the file wrapper constructor is `(filelike_object, block_size)`. Both arguments must be passed as positional (not keyword) arguments. The result of creating a file wrapper should be **returned** as the `app_iter` from a WSGI application.

The object passed as `filelike_object` to the wrapper must be a file-like object which supports *at least* the `read()` method, and the `read()` method must support an optional `size` hint argument and the `read()` method *must* return **bytes** objects (never unicode). It *should* support the `seek()` and `tell()` methods. If it does not, normal iteration over the `filelike_object` using the provided `block_size` is used (and copying is done, negating any benefit of the file wrapper). It *should* support a `close()` method.

The specified `block_size` argument to the file wrapper constructor will be used only when the `filelike_object` doesn't support `seek` and/or `tell` methods. Waitress needs to use normal iteration to serve the file in this degenerate case (as per the WSGI spec), and this block size will be used as the iteration chunk size. The `block_size` argument is optional; if it is not passed, a default value 32768 is used.

Waitress will set a `Content-Length` header on behalf of an application when a file wrapper with a sufficiently file-like object is used if the application hasn't already set one.

The machinery which handles a file wrapper currently doesn't do anything particularly special using fancy system calls (it doesn't use `sendfile` for example); using it currently just prevents the system from needing to copy data to a temporary buffer in order to send it to the client. No copying of data is done when a WSGI app returns a file wrapper that wraps a sufficiently file-like object. It may do something fancier in the future.

1.9 waitress-serve

New in version 0.8.4: Waitress comes bundled with a thin command-line wrapper around the `waitress.serve` function called `waitress-serve`. This is useful for development, and in production situations where serving of static assets is delegated to a reverse proxy, such as nginx or Apache.

`waitress-serve` takes the very same *arguments* as the `waitress.serve` function, but where the function's arguments have underscores, `waitress-serve` uses hyphens. Thus:

```
import myapp

waitress.serve(myapp.wsgifunc, port=8041, url_scheme='https')
```

Is equivalent to:

```
waitress-serve --port=8041 --url-scheme=https myapp:wsgifunc
```

The full argument list is *given below*.

Boolean arguments are represented by flags. If you wish to explicitly set a flag, simply use it by its name. Thus the flag:

```
--expose-exceptions
```

Is equivalent to passing `expose_exceptions=True` to `waitress.serve`.

All flags have a negative equivalent. These are prefixed with `no-`; thus using the flag:

```
--no-expose-exceptions
```

Is equivalent to passing `expose_exceptions=False` to `waitress.serve`.

If at any time you want the full argument list, use the `--help` flag.

Applications are specified similarly to PasteDeploy, where the format is `myapp.mymodule:wsgifunc`. As some application frameworks use application objects, you can use dots to resolve attributes like so: `myapp.mymodule:appobj.wsgifunc`.

A number of frameworks, *web.py* being an example, have factory methods on their application objects that return usable WSGI functions when called. For cases like these, `waitress-serve` has the `--call` flag. Thus:

```
waitress-serve --call myapp.mymodule.app.wsgi_factory
```

Would load the `myapp.mymodule` module, and call `app.wsgi_factory` to get a WSGI application function to be passed to `waitress.server`.

Note: As of 0.8.6, the current directory is automatically included on `sys.path`.

1.9.1 Invocation

Usage:

```
waitress-serve [OPTS] MODULE:OBJECT
```

Common options:

--help Show this information.

--call Call the given object to get the WSGI application.

--host=ADDR Hostname or IP address on which to listen, default is '0.0.0.0', which means "all IP addresses on this host".

--port=PORT TCP port on which to listen, default is '8080'

--listen=host:port Tell waitress to listen on an ip port combination.

Example:

```
-listen=127.0.0.1:8080 -listen=[::1]:8080 -listen=*:8080
```

This option may be used multiple times to listen on multiple sockets. A wildcard for the hostname is also supported and will bind to both IPv4/IPv6 depending on whether they are enabled or disabled.

--[no-]ipv4 Toggle on/off IPv4 support.

This affects wildcard matching when listening on a wildcard address/port combination.

--[no-]ipv6 Toggle on/off IPv6 support.

This affects wildcard matching when listening on a wildcard address/port combination.

--unix-socket=PATH Path of Unix socket. If a socket path is specified, a Unix domain socket is made instead of the usual inet domain socket.

Not available on Windows.

--unix-socket-perms=PERMS Octal permissions to use for the Unix domain socket, default is '600'.

--url-scheme=STR Default `wsgi.url_scheme` value, default is 'http'.

--url-prefix=STR The `SCRIPT_NAME` WSGI environment value. Setting this to anything except the empty string will cause the WSGI `SCRIPT_NAME` value to be the value passed minus any trailing slashes you add, and it will cause the `PATH_INFO` of any request which is prefixed with this value to be stripped of the prefix. Default is the empty string.

--ident=STR Server identity used in the 'Server' header in responses. Default is 'waitress'.

Tuning options:

--threads=INT Number of threads used to process application logic, default is 4.

--backlog=INT Connection backlog for the server. Default is 1024.

--recv-bytes=INT Number of bytes to request when calling `socket.recv()`. Default is 8192.

--send-bytes=INT Number of bytes to send to `socket.send()`. Default is 1. Multiples of 9000 should avoid partly-filled TCP packets.

Deprecated since version 1.3.

--outbuf-overflow=INT A temporary file should be created if the pending output is larger than this. Default is 1048576 (1MB).

--outbuf-high-watermark=INT The `app_iter` will pause when pending output is larger than this value and will resume once enough data is written to the socket to fall below this threshold. Default is 16777216 (16MB).

--inbuf-overflow=INT A temporary file should be created if the pending input is larger than this. Default is 524288 (512KB).

--connection-limit=INT Stop creating new channels if too many are already active. Default is 100.

--cleanup-interval=INT Minimum seconds between cleaning up inactive channels. Default is 30. See `--channel-timeout`.

--channel-timeout=INT Maximum number of seconds to leave inactive connections open. Default is 120. 'Inactive' is defined as 'has received no data from the client and has sent no data to the client'.

--[no-]log-socket-errors Toggle whether premature client disconnect tracebacks ought to be logged. On by default.

- `--max-request-header-size=INT` Maximum size of all request headers combined. Default is 262144 (256KB).
- `--max-request-body-size=INT` Maximum size of request body. Default is 1073741824 (1GB).
- `--[no-]expose-exceptions` Toggle whether to expose exceptions of unhandled exceptions to the client. Off by default.
- `--asyncore-loop-timeout=INT` The timeout value in seconds passed to `asyncore.loop()`. Default is 1.
- `--asyncore-use-poll` The `use_poll` argument passed to `asyncore.loop()`. Helps overcome open file descriptors limit. Default is False.

1.10 Socket Activation

While waitress does not support the various implementations of socket activation, for example using `systemd` or `launchd`, it is prepared to receive pre-bound sockets from init systems, process and socket managers, or other launchers that can provide pre-bound sockets.

The following shows a code example starting waitress with two pre-bound Internet sockets.

```
import socket
import waitress

def app(envIRON, start_response):
    content_length = environ.get('CONTENT_LENGTH', None)
    if content_length is not None:
        content_length = int(content_length)
    body = environ['wsgi.input'].read(content_length)
    content_length = str(len(body))
    start_response(
        '200 OK',
        [('Content-Length', content_length), ('Content-Type', 'text/plain')]
    )
    return [body]

if __name__ == '__main__':
    sockets = [
        socket.socket(socket.AF_INET, socket.SOCK_STREAM),
        socket.socket(socket.AF_INET, socket.SOCK_STREAM)]
    sockets[0].bind(('127.0.0.1', 8080))
    sockets[1].bind(('127.0.0.1', 9090))
    waitress.serve(app, sockets=sockets)
    for socket in sockets:
        socket.close()
```

Generally, to implement socket activation for a given init system, a wrapper script uses the init system specific libraries to retrieve the sockets from the init system. Afterwards it starts waitress, passing the sockets with the parameter `sockets`. Note that the sockets have to be bound, which all init systems supporting socket activation do.

1.11 Glossary

asyncore A Python standard library module for asynchronous communications. See [asyncore](#).

Changed in version 1.2.0: Waitress has now "vendored" `asyncore` into itself as `waitress.wasyncore`. This is to cope with the eventuality that `asyncore` will be removed from the Python standard library in Python 3.8 or so.

middleware *Middleware* is a *WSGI* concept. It is a WSGI component that acts both as a server and an application. Interesting uses for middleware exist, such as caching, content-transport encoding, and other functions. See WSGI.org or PyPI to find middleware for your application.

PasteDeploy A system for configuration of WSGI web components in declarative `.ini` format. See <https://docs.pylonsproject.org/projects/pastedeploy/en/latest/>.

wasyncore Changed in version 1.2.0: Waitress has now "vendored" *asyncore* into itself as `waitress.wasyncore`. This is to cope with the eventuality that `asyncore` will be removed from the Python standard library in Python 3.8 or so.

WSGI *Web Server Gateway Interface*. This is a Python standard for connecting web applications to web servers, similar to the concept of Java Servlets. Waitress requires that your application be served as a WSGI application.

CHAPTER 2

Change History

CHAPTER 3

Next Release

- Add `REQUEST_URI` to the WSGI environment.

`REQUEST_URI` is similar to `request_uri` in nginx. It is a string that contains the request path before separating the query string and decoding %-escaped characters.

4.1 Friendly Reminder

This release still contains a variety of deprecation notices about defaults that can be set for a variety of options.

Please note that this is your last warning, and you should update your configuration if you do NOT want to use the new defaults.

See the arguments documentation page for all supported options, and pay attention to the warnings:

<https://docs.pylonsproject.org/projects/waitress/en/stable/arguments.html>

Without further ado, here's a short list of great changes thanks to our contributors!

4.2 Bugfixes/Features

- Fix a crash on startup when listening to multiple interfaces. See <https://github.com/Pylons/waitress/pull/332>
- Waitress no longer attempts to guess at what the `server_name` should be for a listen socket, instead it always use a new adjustment/argument named `server_name`.

Please see the documentation for `server_name` in <https://docs.pylonsproject.org/projects/waitress/en/latest/arguments.html> and see <https://github.com/Pylons/waitress/pull/329>

- Allow tasks to notice if the client disconnected.

This inserts a callable `waitress.client_disconnected` into the environment that allows the task to check if the client disconnected while waiting for the response at strategic points in the execution and to cancel the operation.

It requires setting the new adjustment `channel_request_lookahead` to a value larger than 0, which continues to read requests from a channel even if a request is already being processed on that channel, up to the given count, since a client disconnect is detected by reading from a readable socket and receiving an empty result.

See <https://github.com/Pylons/waitress/pull/310>

- Drop Python 2.7 and 3.5 support
- The server now issues warning output when it there are enough open connections (controlled by "connection_limit"), that it is no longer accepting new connections. This situation was previously difficult to diagnose. See <https://github.com/Pylons/waitress/pull/322>

CHAPTER 5

1.4.4 (2020-06-01)

- Fix an issue with keep-alive connections in which memory usage was higher than expected because output buffers were being reused across requests on a long-lived connection and each buffer would not be freed until it was full or the connection was closed. Buffers are now rotated per-request to stabilize their behavior.

See <https://github.com/Pylons/waitress/pull/300>

- Waitress threads have been updated to contain their thread number. This will allow loggers that use that information to print the thread that the log is coming from.

See <https://github.com/Pylons/waitress/pull/302>

6.1 Security Fixes

- In Waitress version 1.4.2 a new regular expression was added to validate the headers that Waitress receives to make sure that it matches RFC7230. Unfortunately the regular expression was written in a way that with invalid input it leads to catastrophic backtracking which allows for a Denial of Service and CPU usage going to a 100%.

This was reported by Fil Zembowicz to the Pylons Project. Please see <https://github.com/Pylons/waitress/security/advisories/GHSA-73m2-3pwg-5fgc> for more information.

7.1 Security Fixes

- This is a follow-up to the fix introduced in 1.4.1 to tighten up the way Waitress strips whitespace from header values. This makes sure Waitress won't accidentally treat non-printable characters as whitespace and lead to a potential HTTP request smuggling/splitting security issue.

Thanks to Zeddyu Lu for the extra test cases.

Please see the security advisory for more information: <https://github.com/Pylons/waitress/security/advisories/GHSA-m5ff-3wj3-8ph4>

CVE-ID: CVE-2019-16789

7.2 Bugfixes

- Updated the regex used to validate header-field content to match the errata that was published for RFC7230.

See: https://www.rfc-editor.org/errata_search.php?rfc=7230&eid=4189

8.1 Security Fixes

- Waitress did not properly validate that the HTTP headers it received were properly formed, thereby potentially allowing a front-end server to treat a request different from Waitress. This could lead to HTTP request smuggling/splitting.

Please see the security advisory for more information: <https://github.com/Pylons/waitress/security/advisories/GHSA-m5ff-3wj3-8ph4>

CVE-ID: CVE-2019-16789

9.1 Bugfixes

- Waitress used to slam the door shut on HTTP pipelined requests without setting the `Connection: close` header as appropriate in the response. This is of course not very friendly. Waitress now explicitly sets the header when responding with an internally generated error such as 400 Bad Request or 500 Internal Server Error to notify the remote client that it will be closing the connection after the response is sent.
- Waitress no longer allows any spaces to exist between the header field-name and the colon. While waitress did not strip the space and thereby was not vulnerable to any potential header field-name confusion, it should have sent back a 400 Bad Request. See <https://github.com/Pylons/waitress/issues/273>

9.2 Security Fixes

- Waitress implemented a "MAY" part of the RFC7230 (<https://tools.ietf.org/html/rfc7230#section-3.5>) which states:

Although the line terminator for the start-line and header fields is the sequence CRLF, a recipient MAY recognize a single LF as a line terminator and ignore any preceding CR.

Unfortunately if a front-end server does not parse header fields with an LF the same way as it does those with a CRLF it can lead to the front-end and the back-end server parsing the same HTTP message in two different ways. This can lead to a potential for HTTP request smuggling/splitting whereby Waitress may see two requests while the front-end server only sees a single HTTP message.

For more information I can highly recommend the blog post by Zeddyu Lu <https://blog.zeddyu.info/2019/12/08/HTTP-Smuggling-en/>

Please see the security advisory for more information: <https://github.com/Pylons/waitress/security/advisories/GHSA-pg36-wpm5-g57p>

CVE-ID: CVE-2019-16785

- Waitress used to treat LF the same as CRLF in `Transfer-Encoding: chunked` requests, while the maintainer doesn't believe this could lead to a security issue, this is no longer supported and all chunks are now validated to be properly framed with CRLF as required by RFC7230.
- Waitress now validates that the `Transfer-Encoding` header contains only transfer codes that it is able to decode. At the moment that includes the only valid header value being `chunked`.

That means that if the following header is sent:

```
Transfer-Encoding: gzip, chunked
```

Waitress will send back a 501 Not Implemented with an error message stating as such, as while Waitress supports `chunked` encoding it does not support `gzip` and it is unable to pass that to the underlying WSGI environment correctly.

Waitress DOES NOT implement support for `Transfer-Encoding: identity` even though `identity` was valid in RFC2616, it was removed in RFC7230. Please update your clients to remove the `Transfer-Encoding` header if the only transfer coding is `identity` or update your client to use `Transfer-Encoding: chunked` instead of `Transfer-Encoding: identity, chunked`.

Please see the security advisory for more information: <https://github.com/Pylons/waitress/security/advisories/GHSA-g2xc-35jw-c63p>

CVE-ID: CVE-2019-16786

- While validating the `Transfer-Encoding` header, Waitress now properly handles line-folded `Transfer-Encoding` headers or those that contain multiple comma separated values. This closes a potential issue where a front-end server may treat the request as being a chunked request (and thus ignoring the `Content-Length`) and Waitress using the `Content-Length` as it was looking for the single value `chunked` and did not support comma separated values.
- Waitress used to explicitly set the `Content-Length` header to 0 if it was unable to parse it as an integer (for example if the `Content-Length` header was sent twice (and thus folded together), or was invalid) thereby allowing for a potential request to be split and treated as two requests by HTTP pipelining support in Waitress. If Waitress is now unable to parse the `Content-Length` header, a 400 Bad Request is sent back to the client.

Please see the security advisory for more information: <https://github.com/Pylons/waitress/security/advisories/GHSA-4ppp-gpcr-7qf6>

10.1 Bugfixes

- Waitress won't accidentally throw away part of the path if it starts with a double slash (GET `//testing/whatever HTTP/1.0`). WSGI applications will now receive a `PATH_INFO` in the environment that contains `//testing/whatever` as required. See <https://github.com/Pylons/waitress/issues/260> and <https://github.com/Pylons/waitress/pull/261>

11.1 Deprecations

- The `send_bytes` adjustment now defaults to 1 and is deprecated pending removal in a future release. and <https://github.com/Pylons/waitress/pull/246>

11.2 Features

- Add a new `outbuf_high_watermark` adjustment which is used to apply backpressure on the `app_iter` to avoid letting it spin faster than data can be written to the socket. This stabilizes responses that iterate quickly with a lot of data. See <https://github.com/Pylons/waitress/pull/242>
- Stop early and close the `app_iter` when attempting to write to a closed socket due to a client disconnect. This should notify a long-lived streaming response when a client hangs up. See <https://github.com/Pylons/waitress/pull/238> and <https://github.com/Pylons/waitress/pull/240> and <https://github.com/Pylons/waitress/pull/241>
- Adjust the flush to output `SO_SNDBUF` bytes instead of whatever was set in the `send_bytes` adjustment. `send_bytes` now only controls how much waitress will buffer internally before flushing to the kernel, whereas previously it used to also throttle how much data was sent to the kernel. This change enables a streaming `app_iter` containing small chunks to still be flushed efficiently. See <https://github.com/Pylons/waitress/pull/246>

11.3 Bugfixes

- Upon receiving a request that does not include HTTP/1.0 or HTTP/1.1 we will no longer set the version to the string value "None". See <https://github.com/Pylons/waitress/pull/252> and <https://github.com/Pylons/waitress/issues/110>
- When a client closes a socket unexpectedly there was potential for memory leaks in which data was written to the buffers after they were closed, causing them to reopen. See <https://github.com/Pylons/waitress/pull/239>

- Fix the queue depth warnings to only show when all threads are busy. See <https://github.com/Pylons/waitress/pull/243> and <https://github.com/Pylons/waitress/pull/247>
- Trigger the `app_iter` to close as part of shutdown. This will only be noticeable for users of the internal server api. In more typical operations the server will die before benefiting from these changes. See <https://github.com/Pylons/waitress/pull/245>
- Fix a bug in which a streaming `app_iter` may never cleanup data that has already been sent. This would cause buffers in waitress to grow without bounds. These buffers now properly rotate and release their data. See <https://github.com/Pylons/waitress/pull/242>
- Fix a bug in which non-seekable subclasses of `io.IOBase` would trigger an exception when passed to the `wsgi.file_wrapper` callback. See <https://github.com/Pylons/waitress/pull/249>

12.1 Bugfixes

- When given an IPv6 address in `X-Forwarded-For` or `Forwarded for=` waitress was placing the IP address in `REMOTE_ADDR` with brackets: `[2001:db8::0]`, this does not match the requirements in the CGI spec which `REMOTE_ADDR` was lifted from. Waitress will now place the bare IPv6 address in `REMOTE_ADDR: 2001:db8::0`. See <https://github.com/Pylons/waitress/pull/232> and <https://github.com/Pylons/waitress/issues/230>

CHAPTER 13

1.2.0 (2019-01-15)

No changes since the last beta release. Enjoy Waitress!

14.1 Bugfixes

- Modified `clear_untrusted_proxy_headers` to be usable without a `trusted_proxy`. <https://github.com/Pylons/waitress/pull/228>
- Modified `trusted_proxy_count` to error when used without a `trusted_proxy`. <https://github.com/Pylons/waitress/pull/228>

1.2.0b2 (2019-02-02)

15.1 Bugfixes

- Fixed logic to no longer warn on writes where the output is required to have a body but there may not be any data to be written. Solves issue posted on the Pylons Project mailing list with 1.2.0b1.

Happy New Year!

16.1 Features

- Setting the `trusted_proxy` setting to `'*'` (wildcard) will allow all upstreams to be considered trusted proxies, thereby allowing services behind Cloudflare/ELBs to function correctly whereby there may not be a singular IP address that requests are received from.

Using this setting is potentially dangerous if your server is also available from anywhere on the internet, and further protections should be used to lock down access to Waitress. See <https://github.com/Pylons/waitress/pull/224>

- Waitress has increased its support of the `X-Forwarded-*` headers and includes Forwarded (RFC7239) support. This may be used to allow proxy servers to influence the WSGI environment. See <https://github.com/Pylons/waitress/pull/209>

This also provides a new security feature when using Waitress behind a proxy in that it is possible to remove untrusted proxy headers thereby making sure that downstream WSGI applications don't accidentally use those proxy headers to make security decisions.

The documentation has more information, see the following new arguments:

- `trusted_proxy_count`
- `trusted_proxy_headers`
- `clear_untrusted_proxy_headers`
- `log_untrusted_proxy_headers` (useful for debugging)

Be aware that the defaults for these are currently backwards compatible with older versions of Waitress, this will change in a future release of waitress. If you expect to need this behaviour please explicitly set these variables in your configuration, or pin this version of waitress.

Documentation: <https://docs.pylonsproject.org/projects/waitress/en/latest/reverse-proxy.html>

- Waitress can now accept a list of sockets that are already pre-bound rather than creating its own to allow for socket activation. Support for init systems/other systems that create said activated sockets is not included. See <https://github.com/Pylons/waitress/pull/215>
- Server header can be omitted by specifying `ident=None` or `ident=''`. See <https://github.com/Pylons/waitress/pull/187>

16.2 Bugfixes

- Waitress will no longer send Transfer-Encoding or Content-Length for 1xx, 204, or 304 responses, and will completely ignore any message body sent by the WSGI application, making sure to follow the HTTP standard. See <https://github.com/Pylons/waitress/pull/166>, <https://github.com/Pylons/waitress/issues/165>, <https://github.com/Pylons/waitress/issues/152>, and <https://github.com/Pylons/waitress/pull/202>

16.3 Compatibility

- Waitress has now "vendored" `asyncore` into itself as `waitress.wasyncore`. This is to cope with the eventuality that `asyncore` will be removed from the Python standard library in 3.8 or so.

16.4 Documentation

- Bring in documentation of `paste.translogger` from Pyramid. Reorganize and clean up documentation. See <https://github.com/Pylons/waitress/pull/205> <https://github.com/Pylons/waitress/pull/70> <https://github.com/Pylons/waitress/pull/206>

17.1 Features

- Waitress now has a `__main__` and thus may be called with `python -mwaitress`

17.2 Bugfixes

- Waitress no longer allows lowercase HTTP verbs. This change was made to fall in line with most HTTP servers. See <https://github.com/Pylons/waitress/pull/170>
- When receiving non-ascii bytes in the request URL, waitress will no longer abruptly close the connection, instead returning a 400 Bad Request. See <https://github.com/Pylons/waitress/pull/162> and <https://github.com/Pylons/waitress/issues/64>

18.1 Features

- Python 3.6 is now officially supported in Waitress

18.2 Bugfixes

- Add a work-around for libc issue on Linux not following the documented standards. If `getnameinfo()` fails because of DNS not being available it should return the IP address instead of the reverse DNS entry, however instead `getnameinfo()` raises. We catch this, and ask `getnameinfo()` for the same information again, explicitly asking for IP address instead of reverse DNS hostname. See <https://github.com/Pylons/waitress/issues/149> and <https://github.com/Pylons/waitress/pull/153>

19.1 Bugfixes

- IPv6 support on Windows was broken due to missing constants in the socket module. This has been resolved by setting the constants on Windows if they are missing. See <https://github.com/Pylons/waitress/issues/138>
- A ValueError was raised on Windows when passing a string for the port, on Windows in Python 2 using service names instead of port numbers doesn't work with *getaddrinfo*. This has been resolved by attempting to convert the port number to an integer, if that fails a ValueError will be raised. See <https://github.com/Pylons/waitress/issues/139>

20.1 Bugfixes

- Removed `AI_ADDRCONFIG` from the call to `getaddrinfo`, this resolves an issue whereby `getaddrinfo` wouldn't return any addresses to `bind` to on hosts where there is no internet connection but localhost is requested to be bound to. See <https://github.com/Pylons/waitress/issues/131> for more information.

20.2 Deprecations

- Python 2.6 is no longer supported.

20.3 Features

- IPv6 support
- Waitress is now able to listen on multiple sockets, including IPv4 and IPv6. Instead of passing in a host/port combination you now provide waitress with a space delineated list, and it will create as many sockets as required.

```
from waitress import serve
serve(wsgiapp, listen='0.0.0.0:8080 [::]:9090 *:6543')
```

20.4 Security

- Waitress will now drop HTTP headers that contain an underscore in the key when received from a client. This is to stop any possible underscore/dash conflation that may lead to security issues. See <https://github.com/Pylons/waitress/pull/80> and <https://www.djangoproject.com/weblog/2015/jan/13/security/>

21.1 Deprecations

- Python 3.2 is no longer supported by Waitress.
- Python 2.6 will no longer be supported by Waitress in future releases.

21.2 Security/Protections

- Building on the changes made in pull request 117, add in checking for line feed/carriage return HTTP Response Splitting in the status line, as well as the key of a header. See <https://github.com/Pylons/waitress/pull/124> and <https://github.com/Pylons/waitress/issues/122>.
- Waitress will no longer accept headers or status lines with newline/carriage returns in them, thereby disallowing HTTP Response Splitting. See <https://github.com/Pylons/waitress/issues/117> for more information, as well as https://www.owasp.org/index.php/HTTP_Response_Splitting.

21.3 Bugfixes

- FileBasedBuffer and more important ReadOnlyFileBasedBuffer no longer report False when tested with bool(), instead always returning True, and becoming more iterator like. See: <https://github.com/Pylons/waitress/pull/82> and <https://github.com/Pylons/waitress/issues/76>
- Call prune() on the output buffer at the end of a request so that it doesn't continue to grow without bounds. See <https://github.com/Pylons/waitress/issues/111> for more information.

CHAPTER 22

0.8.10 (2015-09-02)

- Add support for Python 3.4, 3.5b2, and PyPy3.
- Use a nonglobal `asyncore` socket map by default, trying to prevent conflicts with apps and libs that use the `asyncore` global socket map ala <https://github.com/Pylons/waitress/issues/63>. You can get the old `use-global-socket-map` behavior back by passing `asyncore.socket_map` to the `create_server` function as the `map` argument.
- Waitress violated PEP 3333 with respect to reraising an exception when `start_response` was called with an `exc_info` argument. It would reraise the exception even if no data had been sent to the client. It now only reraises the exception if data has actually been sent to the client. See <https://github.com/Pylons/waitress/pull/52> and <https://github.com/Pylons/waitress/issues/51>
- Add a `docs` section to `tox.ini` that, when run, ensures docs can be built.
- If an `application` value of `None` is supplied to the `create_server` constructor function, a `ValueError` is now raised eagerly instead of an error occurring during runtime. See <https://github.com/Pylons/waitress/pull/60>
- Fix parsing of multi-line (folded) headers. See <https://github.com/Pylons/waitress/issues/53> and <https://github.com/Pylons/waitress/pull/90>
- Switch from the low level Python `thread/_thread` module to the `threading` module.
- Improved exception information should module import go awry.

- Fix tests under Windows. NB: to run tests under Windows, you cannot run "setup.py test" or "setup.py nosetests". Instead you must run `python.exe -c "import nose; nose.main()"`. If you try to run the tests using the normal method under Windows, each subprocess created by the test suite will attempt to run the test suite again. See <https://github.com/nose-devs/nose/issues/407> for more information.
- Give the WSGI `app_iter` generated when `wsgi.file_wrapper` is used (`ReadOnlyFileBasedBuffer`) a `close` method. Do not call `close` on an instance of such a class when it's used as a WSGI `app_iter`, however. This is part of a fix which prevents a leakage of file descriptors; the other part of the fix was in WebOb (<https://github.com/Pylons/webob/commit/951a41ce57bd853947f842028bccb500bd5237da>).
- Allow trusted proxies to override `wsgi.url_scheme` via a request header, `X_FORWARDED_PROTO`. Allows proxies which serve mixed HTTP / HTTPS requests to control signal which are served as HTTPS. See <https://github.com/Pylons/waitress/pull/42>.

- Fix some cases where the creation of extremely large output buffers (greater than 2GB, suspected to be buffers added via `wsgi.file_wrapper`) might cause an `OverflowError` on Python 2. See <https://github.com/Pylons/waitress/issues/47>.
- When the `url_prefix` adjustment starts with more than one slash, all slashes except one will be stripped from its beginning. This differs from older behavior where more than one leading slash would be preserved in `url_prefix`.
- If a client somehow manages to send an empty path, we no longer convert the empty path to a single slash in `PATH_INFO`. Instead, the path remains empty. According to RFC 2616 section "5.1.2 Request-URI", the scenario of a client sending an empty path is actually not possible because the request URI portion cannot be empty.
- If the `url_prefix` adjustment matches the request path exactly, we now compute `SCRIPT_NAME` and `PATH_INFO` properly. Previously, if the `url_prefix` was `/foo` and the path received from a client was `/foo`, we would set *both* `SCRIPT_NAME` and `PATH_INFO` to `/foo`. This was incorrect. Now in such a case we set `PATH_INFO` to the empty string and we set `SCRIPT_NAME` to `/foo`. Note that the change we made has no effect on paths that do not match the `url_prefix` exactly (such as `/foo/bar`); these continue to operate as they did. See <https://github.com/Pylons/waitress/issues/46>
- Preserve header ordering of headers with the same name as per RFC 2616. See <https://github.com/Pylons/waitress/pull/44>
- When `waitress` receives a `Transfer-Encoding: chunked` request, we no longer send the `TRANSFER_ENCODING` nor the `HTTP_TRANSFER_ENCODING` value to the application in the environment. Instead, we pop this header. Since we cope with chunked requests by buffering the data in the server, we also know when a chunked request has ended, and therefore we know the content length. We set the content-length header in the environment, such that applications effectively never know the original request was a T-E: chunked request; it will appear to them as if the request is a non-chunked request with an accurate content-length.
- Cope with the fact that the `Transfer-Encoding` value is case-insensitive.
- When the `--unix-socket-perms` option was used as an argument to `waitress-serve`, a `TypeError` would be raised. See <https://github.com/Pylons/waitress/issues/50>.

CHAPTER 25

0.8.7 (2013-08-29)

- The HTTP version of the response returned by waitress when it catches an exception will now match the HTTP request version.
- Fix: CONNECTION header will be HTTP_CONNECTION and not CONNECTION_TYPE (see <https://github.com/Pylons/waitress/issues/13>)

CHAPTER 26

0.8.6 (2013-08-12)

- Do alternate type of checking for UNIX socket support, instead of checking for `platform == windows`.
- Functional tests now use multiprocessing module instead of subprocess module, speeding up test suite and making concurrent execution more reliable.
- Runner now appends the current working directory to `sys.path` to support running WSGI applications from a directory (i.e., not installed in a virtualenv).
- Add a `url_prefix` adjustment setting. You can use it by passing `script_name='/foo'` to `waitress.serve` or you can use it in a PasteDeploy ini file as `script_name = /foo`. This will cause the WSGI `SCRIPT_NAME` value to be the value passed minus any trailing slashes you add, and it will cause the `PATH_INFO` of any request which is prefixed with this value to be stripped of the prefix. You can use this instead of PasteDeploy's `prefixmiddleware` to always prefix the path.

CHAPTER 27

0.8.5 (2013-05-27)

- Fix runner multisegment imports in some Python 2 revisions (see <https://github.com/Pylons/waitress/pull/34>).
- For compatibility, WSGIServer is now an alias of TcpWSGIServer. The signature of BaseWSGIServer is now compatible with WSGIServer pre-0.8.4.

CHAPTER 28

0.8.4 (2013-05-24)

- Add a command-line runner called `waitress-serve` to allow Waitress to run WSGI applications without any additional machinery. This is essentially a thin wrapper around the `waitress.serve()` function.
- Allow parallel testing (e.g., under `detox` or `nosetests --processes`) using PID-dependent port / socket for functest servers.
- Fix integer overflow errors on large buffers. Thanks to Marcin Kuzminski for the patch. See: <https://github.com/Pylons/waitress/issues/22>
- Add support for listening on Unix domain sockets.

29.1 Features

- Add an `asyncore_loop_timeout` adjustment value, which controls the `timeout` value passed to `asyncore.loop`; defaults to 1.

29.2 Bug Fixes

- The default `asyncore` loop timeout is now 1 second. This prevents slow shutdown on Windows. See <https://github.com/Pylons/waitress/issues/6> . This shouldn't matter to anyone in particular, but it can be changed via the `asyncore_loop_timeout` adjustment (it used to previously default to 30 seconds).
- Don't complain if there's a response to a HEAD request that contains a `Content-Length > 0`. See <https://github.com/Pylons/waitress/pull/7>.
- Fix bug in HTTP Expect/Continue support. See <https://github.com/Pylons/waitress/issues/9> .

30.1 Bug Fixes

- <https://corte.si/posts/code/pathod/pythonservers/index.html> pointed out that sending a bad header resulted in an exception leading to a 500 response instead of the more proper 400 response without an exception.
- Fix a race condition in the test suite.
- Allow "ident" to be used as a keyword to `serve()` as per docs.
- Add py33 to tox.ini.

31.1 Bug Fixes

- A brown-bag bug prevented request concurrency. A slow request would block subsequent the responses of subsequent requests until the slow request's response was fully generated. This was due to a "task lock" being declared as a class attribute rather than as an instance attribute on HTTPChannel. Also took the opportunity to move another lock named "outbuf lock" to the channel instance rather than the class. See <https://github.com/Pylons/waitress/pull/1> .

32.1 Features

- Support the WSGI `wsgi.file_wrapper` protocol as per <https://www.python.org/dev/peps/pep-0333/#optional-platform-specific-file-handling>. Here's a usage example:

```
import os

here = os.path.dirname(os.path.abspath(__file__))

def myapp(environ, start_response):
    f = open(os.path.join(here, 'myphoto.jpg'), 'rb')
    headers = [('Content-Type', 'image/jpeg')]
    start_response(
        '200 OK',
        headers
    )
    return environ['wsgi.file_wrapper'](f, 32768)
```

The signature of the file wrapper constructor is `(filelike_object, block_size)`. Both arguments must be passed as positional (not keyword) arguments. The result of creating a file wrapper should be **returned** as the `app_iter` from a WSGI application.

The object passed as `filelike_object` to the wrapper must be a file-like object which supports *at least* the `read()` method, and the `read()` method must support an optional size hint argument. It *should* support the `seek()` and `tell()` methods. If it does not, normal iteration over the filelike object using the provided `block_size` is used (and copying is done, negating any benefit of the file wrapper). It *should* support a `close()` method.

The specified `block_size` argument to the file wrapper constructor will be used only when the `filelike_object` doesn't support `seek` and/or `tell` methods. Waitress needs to use normal iteration to serve the file in this degenerate case (as per the WSGI spec), and this block size will be used as the iteration chunk size. The `block_size` argument is optional; if it is not passed, a default value “32768” is used.

Waitress will set a `Content-Length` header on the behalf of an application when a file wrapper with a sufficiently filelike object is used if the application hasn't already set one.

The machinery which handles a file wrapper currently doesn't do anything particularly special using fancy system calls (it doesn't use `sendfile` for example); using it currently just prevents the system from needing to copy data to a temporary buffer in order to send it to the client. No copying of data is done when a WSGI app returns a file wrapper that wraps a sufficiently filelike object. It may do something fancier in the future.

33.1 Features

- Default `send_bytes` value is now 18000 instead of 9000. The larger default value prevents `asyncore` from needing to execute `select` so many times to serve large files, speeding up file serving by about 15%-20% or so. This is probably only an optimization for LAN communications, and could slow things down across a WAN (due to higher TCP overhead), but we're likely to be behind a reverse proxy on a LAN anyway if in production.
- Added an (undocumented) profiling feature to the `serve()` command.

34.1 Bug Fixes

- Remove performance-sapping call to `pull_trigger` in the channel's `write_soon` method added mistakenly in 0.6.

35.1 Bug Fixes

- A logic error prevented the internal outbuf buffer of a channel from being flushed when the client could not accept the entire contents of the output buffer in a single succession of socket.send calls when the channel was in a "pending close" state. The socket in such a case would be closed prematurely, sometimes resulting in partially delivered content. This was discovered by a user using waitress behind an Nginx reverse proxy, which apparently is not always ready to receive data. The symptom was that he received "half" of a large CSS file (110K) while serving content via waitress behind the proxy.

36.1 Bug Fixes

- Fix `PATH_INFO` encoding/decoding on Python 3 (as per PEP 3333, tunnel bytes-in-unicode-as-latin-1-after-unquoting).

37.1 Features

- Added "design" document to docs.

37.2 Bug Fixes

- Set default `connection_limit` back to 100 for benefit of maximal platform compatibility.
- Normalize setting of `last_activity` during send.
- Minor resource cleanups during tests.
- Channel timeout cleanup was broken.

38.1 Features

- Dont hang a thread up trying to send data to slow clients.
- Use `self.logger` to log socket errors instead of `self.log_info` (normalize).
- Remove pointless `handle_error` method from channel.
- Queue requests instead of tasks in a channel.

38.2 Bug Fixes

- Expect: 100-continue responses were broken.

39.1 Bug Fixes

- Set up logging by calling `logging.basicConfig()` when `serve` is called (show tracebacks and other warnings to console by default).
- Disallow WSGI applications to set "hop-by-hop" headers (Connection, Transfer-Encoding, etc).
- Don't treat 304 status responses specially in HTTP/1.1 mode.
- Remove out of date `interfaces.py` file.
- Normalize logging (all output is now sent to the `waitress` logger rather than in degenerate cases some output being sent directly to `stderr`).

39.2 Features

- Support HTTP/1.1 Transfer-Encoding: `chunked` responses.
- Slightly better docs about logging.

CHAPTER 40

0.1 (2011-12-30)

- Initial release.

CHAPTER 41

Known Issues

- Does not support TLS natively. See *Using Behind a Reverse Proxy* for more information.

Support and Development

The [Pylons Project web site](#) is the main online source of Waitress support and development information.

To report bugs, use the [issue tracker](#).

If you've got questions that aren't answered by this documentation, contact the [Pylons-discuss maillist](#) or join the [#pyramid IRC channel](#).

Browse and check out tagged and trunk versions of Waitress via the [Waitress GitHub repository](#). To check out the trunk via `git`, use this command:

```
git clone git@github.com:Pylons/waitress.git
```

To find out how to become a contributor to Waitress, please see the guidelines in [contributing.md](#) and [How to Contribute Source Code and Documentation](#).

Why?

At the time of the release of Waitress, there are already many pure-Python WSGI servers. Why would we need another?

Waitress is meant to be useful to web framework authors who require broad platform support. It's neither the fastest nor the fanciest WSGI server available but using it helps eliminate the N-by-M documentation burden (e.g. production vs. deployment, Windows vs. Unix, Python 3 vs. Python 2, PyPy vs. CPython) and resulting user confusion imposed by spotty platform support of the current (2012-ish) crop of WSGI servers. For example, `gunicorn` is great, but doesn't run on Windows. `paste.httpserver` is perfectly serviceable, but doesn't run under Python 3 and has no dedicated tests suite that would allow someone who did a Python 3 port to know it worked after a port was completed. `wsgiref` works fine under most any Python, but it's a little slow and it's not recommended for production use as it's single-threaded and has not been audited for security issues.

At the time of this writing, some existing WSGI servers already claim wide platform support and have serviceable test suites. The CherryPy WSGI server, for example, targets Python 2 and Python 3 and it can run on UNIX or Windows. However, it is not distributed separately from its eponymous web framework, and requiring a non-CherryPy web framework to depend on the CherryPy web framework distribution simply for its server component is awkward. The test suite of the CherryPy server also depends on the CherryPy web framework, so even if we forked its server component into a separate distribution, we would have still needed to backfill for all of its tests. The CherryPy team has started work on [Cheroot](#), which should solve this problem, however.

Waitress is a fork of the WSGI-related components which existed in `zope.server`. `zope.server` had passable framework-independent test coverage out of the box, and a good bit more coverage was added during the fork. `zope.server` has existed in one form or another since about 2001, and has seen production usage since then, so Waitress is not exactly "another" server, it's more a repackaging of an old one that was already known to work fairly well.

W

`waitress`, [11](#)

A

asyncore, **18**

H

https, *7*

M

middleware, **19**

P

PasteDeploy, **19**

proxy, *7*

Python Enhancement Proposals

 PEP 3333, *15*

R

reverse, *7*

S

serve() (*in module waitress*), *11*

SSL, *7*

T

TLS, *7*

W

waitress (*module*), *11*

wasyncore, **19**

WSGI, **19**